

张家港市瑞宇机械有限公司
Zhangjiagang Rachel Machinery Co.,LTD

WEB:www.rachel-machine.com

Whatsapp:+86 13962244083

MOBILE:+86 13862230883

Email:tokeyxia@rachelmachinery.com

<https://cnrachelmachinery.en.alibaba.com>


<https://www.rachel-machine.com>

www.youtube.com/@zhangjiagangrachelmachiner5095



啤酒饮料灌装整线设备提供商

BEER AND BEVERAGE FILLING LINE EQUIPMENT PROVIDER



张家港市瑞宇机械有限公司
Zhangjiagang Rachel Machinery Co.,LTD



「目录」
CONTENTS

01-02	企业简介 Company Introduction
03-04	合作伙伴 Cooperation Partner
05	研发中心 Development Center
06	生产环境 Production Environment
07-08	塑料瓶(PET)啤酒灌装生产线 PET Beer Filling Line
09-10	玻璃瓶啤酒灌装生产线 Glass Bottle Beer Filling Production Line
11-12	多功能啤酒灌装生产线 Multifunctional Beer Filling Production Line
13-14	易拉罐啤酒灌装生产线 Can Beer Filling Production Line
15-16	整厂设计方案 Whole Plant Design
17	PET装瓶生产线全览 Complete PET Bottling Line Show
18	PET瓶装水冲洗灌装旋盖机(200-2000ML) 200-2000ml PET Bottle Water Washing Filling Capping Machine
19	PET瓶碳酸饮料冲洗灌装旋盖机(200-2000ML) 200-2000ml PET Bottle Carbonated Drink Washing Filling Capping Machine
20	PET瓶果汁饮料冲洗灌装旋盖机(200-2000ML) 200-2000ml PET Bottle Juice Washing Filling Capping Machine
21	5加仑桶冲洗灌装旋盖机 5 Gallon Barrel Washing Filling Capping Machine
22	玻璃瓶碳酸饮料冲洗灌装旋盖(压盖)一体机 Glass Bottle Carbonated Drink Washing Filling Capping Machine
23	喷淋杀菌机 Pasteurizer Tunnel

24-25	配套生产设备 Supporting Production Equipment
26	机器配件 Machine Parts
27	工程案例 Engineering Case
28	销售网络 Sales Network



Beer and beverage filling line equipment provider
啤酒饮料灌装整线设备提供商





COMPANY INTRODUCTION 企业简介



啤酒饮料灌装
整线设备提供商
Beer and beverage filling line
equipment provider

Zhangjiagang Rachel Machinery Co.,LTD is a professional design, manufacture and sales of beer, beverage and other liquid filling equipment enterprises. We are committed to providing beer manufacturers with a full range of filling solutions to help customers improve production efficiency, reduce costs and ensure product quality. The company is headquartered in Zhangjiagang City, Suzhou, the golden zone of the Yangtze River Delta, the company covers an area of about 10,000 square meters, with a modern production base and research and development center.

Our products cover a variety of packaging and different capacity of beer filling and packaging production lines, with automatic control, fast change, high energy consumption and other features. Our engineering team consists of experienced professionals who are able to provide customized solutions to meet different production needs. Customer satisfaction is our eternal goal.

以极致的工艺, 铸就卓越品质;
以创新的思维, 引领行业先锋。

WITH THE ULTIMATE TECHNOLOGY,
CAST EXCELLENT QUALITY;
WITH INNOVATIVE THINKING,
LEADING THE INDUSTRY PIONEER.



作为行业领先者, 瑞宇机械始终注重技术创新和质量控制。我们采用优异的生产工艺和严格的质量管理体系, 确保每一条灌装生产线都具有稳定的性能和可靠的品质。同时, 我们还提供及时的售后服务和技术支持, 为客户提供全方位的支持和帮助。

无论您是大型酿酒集团还是小型精酿啤酒厂商, 瑞宇机械都能为您提供最佳的解决方案。我们期待与您合作, 共同推动啤酒灌装行业的发展和进步。

As an industry leader, Rachel Machinery has always focused on technological innovation and quality control. We use excellent production technology and strict quality management system to ensure that each filling line has stable performance and reliable quality. At the same time, we also provide timely after-sales service and technical support, to provide customers with a full range of support and help.

Whether you are a large brewing group or a small craft brewer, Rachel Machinery can provide you with the best solution. We look forward to working with you to promote the development and progress of the beer filling industry.

COOPERATION
PARTNER
合作伙伴



DEVELOPMENT CENTER 研发中心

持续的研发投入
使德朗斯能够
不断提升产品性能、降低成本、提高生产效率
为客户创造更大的价值和竞争优势


CONTINUOUS R&D INVESTMENT
SO THAT DERONES COULD
CONTINUOUSLY IMPROVE PRODUCT PERFOR-
MANCE, REDUCE COSTS AND IMPROVE
PRODUCTION EFFICIENCY
CREATE GREATER VALUE AND COMPETITIVE
ADVANTAGE FOR CUSTOMERS



PRODUCTION ENVIRONMENT 生产环境

我们严格执行
高标准的生产管理体系
配备一流的加工制造设备
确保产品质量和生产效率达到最优水平

WE STRICTLY ENFORCE
HIGH STANDARD PRODUCTION MANAGEMENT SYSTEM
EQUIPPED WITH FIRST-CLASS PROCESSING AND
MANUFACTURING EQUIPMENT
ENSURE PRODUCT QUALITY AND PRODUCTION
EFFICIENCY TO THE BEST LEVEL



PET BEER FILLING LINE

塑料瓶 (PET) 啤酒灌装生产线



产品适用范围:

各种塑料瓶 (PET) 瓶包装啤酒

特点:

- 采用电子阀等压灌装技术, 可选置换功能, 确保极低的增氧量;
- 全自动化控制系统, 完善的设备卫生和清洗设计。

生产能力:

3000-24000BPH

主要包括:

冲洗、置换、瓶盖杀菌、灌装、旋盖、电气控制、工程设计等。

Product application scope:

A variety of PET bottles packed beer

Features:


- Electronic valve isobaric filling technology, optional displacement function, to ensure very low oxygen increase;
- Fully automated control system, complete equipment hygiene and cleaning design.

Production capacity:

3000-24000BPH

Mainly includes:

Washing, replacement, bottle cap sterilization, filling, capping, electrical control, engineering design, etc.



GLASS BOTTLE BEER FILLING PRODUCTION LINE 玻璃瓶啤酒灌装生产线



产品适用范围:

各种玻璃瓶包装啤酒

特点:

- 灌装阀可选高精度机械灌装阀或电子式气动灌装阀, 灌装液位精度高;
- 配自动激泡系统, 确保极低的增氧量;
- 全自动化控制系统, 完善的设备卫生和清洗设计。

生产能力:

2000-24000BPH

主要包括:

玻璃瓶卸垛、冲洗、灌装、压盖、旋盖、实瓶输送、电气控制、工程设计等。

Product application scope:

A variety of glass bottles packed beer

Features:

- Filling valve can choose high-precision mechanical filling valve or electronic pneumatic filling valve, filling level accuracy is high;
- Equipped with automatic bubble system to ensure very low oxygen increase;
- Fully automated control system, complete equipment hygiene and cleaning design.

Production capacity:

2000-24000BPH

Mainly includes:

Glass bottle unloading, washing, filling, press capping, screw capping, full bottle conveyor, electrical control, engineering design, etc.



MULTIFUNCTIONAL BEER FILLING PRODUCTION LINE

多功能啤酒灌装生产线

产品适用范围:

玻璃瓶 塑料瓶 马口铁等各类包装啤酒

特点:

- 柔性化、定制化、占地面积极小;
- 塑料瓶、玻璃瓶、马口铁等各类包装容器通用;
- 玻璃瓶皇冠盖压盖、拉环盖、铝制盖, 马口铁旋盖、塑料盖旋盖可共用;
- 瓶型更换快捷、方便;
- 采用电子阀等压灌装技术, 模块化设计, 简单变换零件即可;
- 全自动化控制系统, 完善的设备卫生和清洗设计。

生产能力:

1000-24000BPH

主要包括:

冲洗、灌装、压盖、旋盖、实瓶输送、电气控制、工程设计等。

Product application scope:

Glass bottles plastic bottles tinplate and other packaging beer

Features:

- Flexible, customized, small occupied area;
- Plastic bottles, glass bottles, tinplate and other packaging containers are in common use;
- Glass bottle crown cap press cap, pull ring cap, aluminum cap, tinplate screw cap, plastic screw cap can be shared;
- Quick and convenient bottle type change;
- Electronic valve isobaric filling technology, modular design, simple change of parts;
- Fully automated control system, complete equipment hygiene and cleaning design.

Production capacity:

1000-24000BPH

Mainly includes:

Glass bottle unloading, washing, filling, press capping, screw capping, full bottle conveyor, electrical control, engineering design, etc.



马口铁瓶
Tinplate bottle

玻璃瓶
Glass bottle

PET瓶
Plastic bottle

CAN BEER FILLING PRODUCTION LINE 易拉罐啤酒灌装生产线



产品适用范围:

三片罐、两片罐、铝罐、PET罐各种易拉罐包装啤酒

特点:

- 设备模块化设计, 灌装封口一体化, 采用电子阀等压灌装技术;
- 全自动封罐, 性能可靠;
- 集中管站设计, 客户接入啤酒、CO₂、压缩空气、水等介质即可生产。

生产能力:

1000-36000BPH

主要包括:

易拉罐卸垛、冲洗、灌装、封盖、实瓶输送、电气控制、工程设计等。

Product application scope:

Three-piece can, two-piece can, aluminum cans, PET cans all kinds of cans packaging beer

Features:

- Modular equipment design, integrated filling and sealing, using electronic valve isobaric filling technology;
- Automatic can sealing, reliable performance;
- Centralized pipe station design, customers can access beer, CO₂, compressed air, water and other media to produce.

Production capacity:

1000-36000BPH

Mainly includes:

Can unloading, washing, filling, capping, filled can conveyor system, electrical control, engineering design, etc.



WHOLE PLANT DESIGN



作为啤酒灌装设备供应商。除了质量、性能、价格，我们更专注于“交付”。德朗斯机械致力于成为啤酒生产商的战略合作伙伴，通过专业的设备解决方案，帮您打造技术先进、性能卓越且最具效率的包装设备生产线。

As a beer filling equipment supplier, in addition to quality, performance, and price, we focus more on "delivery". DERONES is committed to becoming a strategic partner of beer manufacturers, through professional equipment solutions, to help you create a packaging equipment production line with leading technology, excellent performance, and the most efficient.

适用范围

Scope of application

我们的包装方案涵盖了PET瓶、玻璃瓶、易拉罐这三种常见的饮料包装形式，且均具备完整的生产线配套能力。无论您的产品是瓶装水、碳酸饮料、茶/果汁、含乳饮料或是黄酒，我们都可以帮您实现完美的包装。

Our packaging solutions cover three common beverage packaging forms: PET bottles, glass bottles, and cans, and all of them have complete production line supporting capabilities. Whether your product is bottled water, Carbonated Soft Drinks, tea/juice, dairy drinks, or rice wine, we can help you achieve the perfect packaging.

1 | 产品方案

Production solution

为您的产品和市场定位提供咨询点见：为您的产品包装形式、产能规模、投资规划提供专业评估建议。

Provide consulting opinions for your product and market positioning; provide professional evaluation suggestions for your product packaging form, production capacity scale, and investment planning.

2 | 工艺路线及设备选型

Technical flowchart and equipment selection

带您选择最佳工艺路线，评估风险与收益；提供最佳的单机设备选型及外围辅助设备选型，寻求最优化的整线设备匹配，助您获得最佳投资回报率。

Help you choose the best technical flowchart, evaluate risks and benefits; provide the best stand-alone equipment selection and peripheral auxiliary equipment selection, seek the optimal matching of the whole line equipment, and help obtain the best return on investment.

3 | 工程设计和安装

Engineering design and installation

整厂工程设计理念，通过众多用户积累的工程经验优秀的设计工程师团队，专业高效且久经考验的工程安装队伍。

The whole plant engineering design concept, through the engineering experience accumulated by many users; an excellent design engineer team, and a professional, efficient, and proven engineering installation team.

4 | 培训及服务

Training and after-sale service

通过专业培训，帮助您的设备人员提升技能，确保其正确地操作和维护设备。充足的备件供应，迅速响应的售后服务。

Help your equipment operation personnel improve their skills through professional training to ensure that they operate and maintain equipment correctly. Adequate supply of spare parts, prompt response after-sales service.

COMPLETE PET
BOTTLING LINE SHOW
PET瓶装水生产线



Complete Water Filling Line

1. Water treatment system (Reverse Osmosis) 2. Automatic PET bottle blowing machine 3. Air conveyor system (Empty bottle)
4. Washing filling capping 3in1 machine 5. Blow dryer 6. Code Sprayer 7. Automatic bottle labeling machine
8. Conveyor system (filled bottle) 9. Automatic packing machine



200-2000ML PET BOTTLE WATER WASHING
FILLING CAPPING MACHINE
PET瓶装水冲洗灌装旋盖机（200-2000ML）

XGF 系列 PET 瓶三合一机集冲洗、灌装、封盖功能于一体。该设备基于海外技术,并根据各种容量和形状的 PET 瓶装填处理需求而设计,适用于纯净水、矿泉水、非碳酸饮料等。整台机器采用 SUS304 不锈钢制造。灌装头为弹簧式,无死角,不滴漏。清洗和维护方便。夹瓶模具具有适用于同一直径瓶口的瓶子,更换瓶型和容量简单快捷。

XGF series three-in-one machine for PET bottle integrates the functions of rinsing, filling and capping together. Based on advanced technology overseas and designed according to the filling processing demands of PET bottles with all volumes and shapes for still water, pure water,RO water, mineral water, sparkling water, tea, non-carbonated drink etc. The whole machine is made of SUS304. The filling head is spring type without dead angel, no dripping. Easy for clean and maintenance. The holding clap model is suitable for all bottles with same bottle neck, it is easy for change bottle shapes and volumes.



型号 Model	XGF 8-8-4	XGF 14-12-5	XGF 18-18-6	XGF 24-24-8	XGF 32-32-10	XGF 40-40-12	XGF 50-50-15	XGF 60-60-15
生产能力 (500 毫升) Production Capacity(500ml)	2500~3000 BPH	5000BPH	6000~7000 BPH	10000~12000 BPH	16000~17000 BPH	19000~20000 BPH	23000~24000 BPH	34000~36000 BPH
合适的瓶子规格 Suitable bottle specification	Volume=100-2000ml Diameter Φ=50-100mm Bottle height H=150~340mm Volume=100-2500ml Diameter Φ=50-115mm Bottle height H=150~350mm							
瓶颈 / 瓶盖样式 Bottle neck / Cap Style	Plastic Screw Cap Φ=20-50mm							
主要功率 (千瓦) Main Power(KW)	1.9	3.5	4.0	4.8	5.5	7.5	11.0	15.0
电源供应 Power Supply	电压: 220V~480V, 三相; 频率: 50Hz/60Hz 或根据您的要求定制。 Voltage:220V~480V,3phase;Frequency:50HZ/60HZ or your requirement							
整体尺寸 Overall dimensions(mm)	1900×1420×2000	2050×1800×2400	2580×2100×2200	2780×2200×2200	3800×2800×2600	4600×2800×2600	5450×3300×2600	6500×4500×2600
重量 Weight(Kg)	1500	2500	3500	4500	6500	8500	9800	12800



200-2000ML PET BOTTLE CARBONATED DRINK WASHING FILLING CAPPING MACHINE

PET瓶碳酸饮料冲洗灌装旋盖机（200-2000ML）

The DCGF machine is mainly used for carbonated soft drinks filling and soda water drinks filling and sparkling water filling. It combines rinsing and filling and capping as one automatic body suitable for PET or other plastic bottles. The iso-pressure (iso- barometric) filling technology is adopted to fill more efficient and more stable with more output than the machine of the same level from others.



型号 Model	DCGF 8-8-3/4	DCGF 14-12-5	DCGF 18-18-6	DCGF 24-24-8	DCGF 32-32-10	DCGF 40-40-10/12	DCGF 50-50-12/15	DCGF 60-60-15
生产能力 (500 毫升) Production Capacity(500ml)	800~1000 BPH	2000~2500 BPH	4000~5000 BPH	7000~8000 BPH	9000~10000 BPH	15000~16000 BPH	19000~20000 BPH	22000~24000 BPH
合适的瓶子规格 Suitable bottle specification	Volume=100-2000ml Volume=100-2500ml Diameter Φ=50-100mm Diameter Φ=50-115mm Bottle height H=150~340mm Bottle height H=150~350mm							
瓶颈 / 瓶盖样式 Bottle neck / Cap Style	Plastic Screw Cap Φ=20-50mm							
主要功率 (千瓦) Main Power(KW)	1.9	3.5	4.0	4.8	5.5	7.5	11.0	15.0
电源供应 Power Supply	电压: 220V~480V, 三相; 频率: 50Hz/60Hz 或根据您的要求定制。 Voltage:220V~480V, 3phase; Frequency:50HZ/60HZ or your requirement							
整体尺寸 Overall dimensions(mm)	1900×1420×2000	2050×1800×2400	2580×2100×2200	2780×2200×2200	3800×2800×2600	4600×2800×2600	5450×3300×2600	6500×4500×2600
重量 Weight(Kg)	1500	2500	3500	4500	6500	8500	9800	12800

200-2000ML PET BOTTLE JUICE WASHING FILLING CAPPING MACHINE

PET瓶果汁饮料冲洗灌装旋盖机（200-2000ML）

RCGF 系列灌装机集清洗、灌装、旋盖于一体，实现了整个灌装过程的全自动化，适用于聚酯瓶和塑料瓶的果汁灌装。适用于不同部位的瓶型可轻松、方便、快速调节。采用新型微负压灌装，稳定可靠。与同规格的机器相比，本机的效益更大。

Integrating with washing, filling and capping, Our RCGF series machine realizes full automation in the whole process, suitable for polyester bottle and plastic bottle filling of juice. The bottle types applicable for various parts are easily, conveniently and rapidly adjustable. It adopts new micro-negative pressure filling, stable and reliable. Compared with the machines of the same specification, the benefit of this machine is larger.



型号 Model	RCGF 8-8-4	RCGF 14-12-5	RCGF 18-18-6	RCGF 24-24-8	RCGF 32-32-10	RCGF 40-40-12	RCGF 50-50-15	RCGF 60-60-15
生产能力 (500 毫升) Production Capacity(500ml)	2500~3000 BPH	5000BPH	6000~7000 BPH	10000~12000 BPH	16000~17000 BPH	19000~20000 BPH	23000~24000 BPH	34000~36000 BPH
合适的瓶子规格 Suitable bottle specification	Volume=100-2000ml Volume=100-2500ml Diameter Φ=50-100mm Diameter Φ=50-115mm Bottle height H=150~340mm Bottle height H=150~350mm							
瓶颈 / 瓶盖样式 Bottle neck / Cap Style	Plastic Screw Cap Φ=20-50mm							
主要功率 (千瓦) Main Power(KW)	1.9	3.5	4.0	4.8	5.5	7.5	11.0	15.0
电源供应 Power Supply	电压: 220V~480V, 三相; 频率: 50Hz/60Hz 或根据您的要求定制。 Voltage:220V~480V, 3phase; Frequency:50HZ/60HZ or your requirement							
整体尺寸 Overall dimensions(mm)	1900×1420×2000	2050×1800×2400	2580×2100×2200	2780×2200×2200	3800×2800×2600	4600×2800×2600	5450×3300×2600	6500×4500×2600
重量 Weight(Kg)	1500	2500	3500	4500	6500	8500	9800	12800

5 GALLON BARREL WASHING
FILLING CAPPING MACHINE
5加仑桶冲洗灌装旋盖机

QGF type barreled water filling machine is the core equipment in the 5 Gallon barreled drinking water producing line. It is the ideal equipment for mineral water, distilled water and purified water producing process. The machine is made of excellent stainless steel with the advantage of easily-rinsing and corruption-resistance. The main electrical parts adopt products with brand of SIEMENS and OMRON. Pneumatic parts adopt products with brand of AIRTAC. Both the inner and outer shower nozzle for washing barrel adopt the special technology equipment from American sprayer company. The machine works reliably and efficiently based on the compact structure and high automatic technology. It is the fully automatic barreled water producing equipment combined with machine, electronic and pneumatic components.



型号 Model	QGF-120	QGF-300	QGF-450	QGF-600	QGF-900	QGF-1200
生产能力 Production Capacity(B/H)	100-150	250-300	400-450	600	900	1200
灌装头 Filling heads	1	2	3	4	6	8
机器类型 Machine type	线性类型 Linear type	线性类型 Linear type	线性类型 Linear type	线性类型 Linear type	回转类型 Rotary type	回转类型 Rotary type
灌装容量 (升) Filling capacity(L)	10-20L					
桶规格 Barrel specification	Φ270×490mm					
气源压力 (Mpa) Air source pressure(Mpa)	0.4-0.6					
空气消耗量 (立方米 / 分钟) Air consumption(m³/min)	0.35	0.5	0.5	0.6	0.6	0.6
总功率 (千瓦) Total Power(Kw)	2.9	3.5	4.3	6.2	8.7	9.5
外形尺寸 (L×W×H)(毫米) Overall Dimensions(L×W×H)(mm)	2600×650×1550	3900×1500×1700	3900×1775×1700	3900×2050×1700	2200×1860×2200	2560×2350×2200
总重量 (千克) Total Weight(Kg)	800	1500	2000	2500	3000	3500

GLASS BOTTLE CARBONATED DRINK
WASHING FILLING CAPPING MACHINE
玻璃瓶碳酸饮料冲洗灌装旋盖（压盖）一体机

Glass bottle carbonated drink bottling machine is mainly used for the production of various types of gas-containing beverages, etc. The machine is a three-in-one filling production line, which realizes bottle washing, filling and capping on one machine. The bottling machine makes better use of the safety and sanitation of glass bottles, has good corrosion resistance and acid corrosion resistance, so that the whole process of filling is produced aseptically, and the nutrition of the drink is better preserved. The bottling machine adopts a PCL programmable controller, which realizes the automatic control from the bottle entering the machine to the completion of the packaging. The frequency conversion speed control is adopted, which is easy for users to adjust, and meets the requirements of different production capacity.



型号 Model	BCGF 14-12-5	BCGF 18-18-6	BCGF 24-24-8	BCGF 32-32-8	NPXGF 40-40-10
生产能力 Production Capacity(330ml)	1000-1500BPH	3000-5000BPH	6000-8000BPH	8000-10000BPH	12000-15000BPH
适用瓶高 Suitable bottle height (mm)	160-340				
适用瓶径 Suitable bottle diameter (mm)	50-100				
水压力 Rinsing Water pressure (Mpa)	0.25-0.3				
灌装方式 Filling way	等压填充(两次抽真空) Isobaric filling (twice vacuumized)				
灌装温度 Filling temperature(°C)	0-5				
灌装压力 Filling pressure(Mpa)	0.15-0.5				
主电机功率 Main motor power(kw)	2.2	3	4	7.5	7.5
总功率 Total power(kw)	2.75	3.18	4.18	7.68	7.68
外形尺寸 (毫米) Overall Dimensionsmm)	2700×1500×2300	3012×2012×3260	3280×2420×3200	4430×2880×3200	4650×3200×3200
重量 (千克) Weight(Kg)	2800	3800	5000	6800	8800

PASTEURIZER TUNNEL

喷淋杀菌机

喷淋机：

针对于高温（85 度左右）灌装的饮料，采用循序渐进的方式使温度在短时间内冷却到常温状态。保证产品的口感、色度和饮料本身的安全性。

温瓶机：

针对于碳酸类低温（0-4 度左右）灌装的饮料，采用分段式升温的方法使产品表面不结露，便于后续包装和操作带来不便的因素，如装纸箱及贴标等。

巴氏喷淋杀菌机：

隧道式巴氏杀菌机用于啤酒连续生产，与灌装生产线和包装生产线相连接。杀菌机分为 8 个不同温区，以喷淋形式对玻璃瓶或易拉罐进行升温、杀菌和降温。机械式履带输送可变频调节输送速度以及控制杀菌时间，PU 调节范围：10-30PU，杀菌机杀菌温度误差 ± 0.5 度。根据产量和温区要求，杀菌机长度和宽度可进行设计。



Bottle cooling tunnel：

For beverages filled at a high temperature (approximately 85 degrees), the temperature is gradually cooled to the normal level in a short period of time. Ensure the taste, color and safety of the beverage itself.

Bottle warming tunnel：

For carbonated beverages filled at low temperature (about 0-4 degrees), the segmented heating method is used to make the surface of the product free of condensation, which is convenient for subsequent packaging and inconvenient factors, such as carton packing and labeling.

Pasteurizer tunnel：

The tunnel pasteurizer is used for the continuous production of beer and is connected with the filling and packaging production lines. The sterilizer is divided into 8 different temperature zones, which are used to heat up, sterilize and cool glass bottles or cans in the form of spray. Mechanical track conveyor can adjust the transmission speed and control the sterilization time, PU adjustment range: 10-30PU, sterilization machine sterilization temperature error ± 0.5 degrees. According to the yield and temperature zone requirements, the length and width of the sterilization can be designed.



SUPPORTING PRODUCTION EQUIPMENT

配套生产设备

L 型 PE 薄膜包装机

L-TYPE PE FILM WRAPPING PACKING MACHINE

包装速度：2-12包/分钟

Packing Speed: 2-12 Bags/Min



一片式裹包机

STRAIGHT TYPE PE FILM WRAPPING PACKING MACHINE

包装速度：20-25包/分钟

Packing Speed: 12-45 Bags/Min



纸箱包装机

CARTON ERECTOR AND PACKING MACHINE

包装速度：5-25箱/分钟

Packing Speed: 5-25 Cartons/Min



纸箱包装机

ONE PIECE CARTON PACKING MACHINE

包装速度：10-45箱/分钟

Packing Speed: 10-45 Cartons/Min



大瓶灌装机

BIG BOTTLE FILLING MACHINE

不干胶贴标机

STICKER LABELING MACHINE



OPP 贴标机

OPP LABELING MACHINE

收缩膜套标机

SHRINK SLEEVE LABELING MACHINE



吹瓶机 - 全自动

BOLLLE BLOWING MACHINE-AUTOMATIC

吹瓶机 - 半自动

BOTTLE BLOWING MACHINE-SEMI AUTOMATIC



MACHINE PARTS

机器配件



易拉罐灌装阀

Can filling valve

电子灌装阀

Electronic filling valve

电子灌装阀

Electronic filling valve

半电子灌装阀

Semi-electronic filling valve



易拉罐灌装阀

Can filling valve

灌装阀

Filling valve

易拉罐电子灌装阀

Electronic filling valve for cans

机械灌装阀

Mechanical filling valve

ENGINEERING CASE 工程案例



SALES NETWORK 销售网络

瑞宇机械建立了完善的销售服务网络，以优质的客户服务和及时的技术支持赢得客户信赖。我们拥有专业的销售团队和售后服务人员，为客户提供个性化的解决方案和专业的咨询服务。我们注重与客户的沟通和合作，不断优化销售流程和售后服务体系。无论是售前咨询、产品培训还是售后维护，我们都致力于为客户提供全方位的支持和服务，帮助客户取得持久的成功。

Rachel Machinery has established a perfect sales and service network to win the trust of customers with quality customer service and timely technical support. We have a professional sales team and after-sales service personnel to provide customers with personalized solutions and professional consulting services. We focus on communication and cooperation with customers, and constantly optimize the sales process and after-sales service system. Whether it is pre-sales consultation, product training or after-sales maintenance, we are committed to providing customers with a full range of support and services to help customers achieve lasting success.

